



WEIGHT (LBS)	INDUCTANCE	LOSS (WATTS)
245	.055mH	858

ECO No	DESCRIPTION	REV BY	DATE
M9082	UPDATE DRAWING TO REFLECT HARDWARE CHANGE.	RT	04/10/14

THE COMPONENT, PART OR ASSEMBLY DESCRIBED IN THIS DOCUMENT MUST COMPLY WITH THE EU(EUROPEAN UNION) DIRECTIVE RoHS		MATERIAL		CONFIDENTIAL AND PROPRIETARY INFORMATION THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION OF MTE CORPORATION AND MAY NOT BE USED, COPIED OR DISCLOSED TO OTHERS EXCEPT WITH THE AUTHORIZED WRITTEN PERMISSION OF MTE CORPORATION	
CONTAINS <0.1% OF ANY SVHC BY WEIGHT PER REACH REGULATION				DESCRIPTION	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES [MM] TOLERANCES ARE: ANGLES: ± 1 ° 1 PLACE .X: ± .1 [2.5] 2 PLACE .XX: ± .03 [0.76] 3 PLACE .XXX: ± .010 [0.254]		DRAWN RKT		DATE 07/22/09	
		CHECKED JM		DATE 04/10/14	
		APPROVED JM		DATE 04/10/14	
		SIZE D		DWG No CD RLW-075005	
		SCALE 1:2		REV 03	
				SHEET 1 OF 1	

**MTE**  
AN BL POWER ELECTRONICS COMPANY

N83 W13330 Leon Road  
Menomonee Falls, WI 53051 USA  
800.455.4683  
262.253.8200